FEB 2 1 2006 W

PTO/SB/08a/b (07-05)
Approved for use through 07/31/2008. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of Information unless it contains a valid OMB control number.

Sur	ostitute for form 1449A/B/PT	ro		Complete If Known		
"	334515 101 101111 1 1 1 1 1 1 1 1 1 1			Application Number	08/444,791-Conf. #5613	
18	NFORMATION	N DIS	SCLOSURE	Filing Date	May 19, 1995	
S	TATEMENT	BY A	PPLICANT	First Named Inventor	Manfred Brockhaus	
				Art Unit	1644	
	(Use as many sh	eets as	necessary)	Examiner Name	R. Schwadron	
Sheet	1	of	1	Attorney Docket Number	01017/40451C	

	U.S. PATENT DOCUMENTS									
Examiner Initials*	Cite No. ¹	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear					

	FOREIGN PATENT DOCUMENTS									
Examiner tnitials*	Cite No.1	Foreign Patent Document Country Code ³ -Number ⁴ -Kind Code ⁵ (if known)	Publication Date MM-DD-YYYY	Name of Patentee or Applicant of Cited Document	Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear					

*EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. *Applicant's unique citation designation number (optional). *See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. *Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). *For Japanese patent documents, the Indication of the year of the reign of the Emperor must precede the sental number of the patent document. *Find of document by the appropriate symbols as Indicated on the document under WIPO Standard ST.16 If possible. *Applicant is to place a check mark here if English language Translation is attached.

	NON PATENT LITERATURE DOCUMENTS								
Examiner Initials	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²						
431		Official Communication relating to an Opposition in EP Application No. 99 100 703.0.							

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner | Date | 3 | 1 | 6 | 7

^{&#}x27;Applicant's unique citation designation number (optional). 'Applicant is to place a check mark here if English language Translation is attached.



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO 08/444,791-Conf. #5613 Application Number **INFORMATION DISCLOSURE** Filing Date May 19, 1995 STATEMENT BY APPLICANT First Named Inventor Brockhaus 1644 Art Unit (Use as many sheets as necessary) R. Schwadron, Ph.D. Examiner Name Sheet 1 of 01017/40451C Attorney Docket Number

			U.S. PA	TENT DOCUMENTS		
Examiner Initials*	Cite No.1	Document Number Number-Kind Code ² (if known)	Publication Date MM-DD-YYYY	Name of Paten Applicant of Cited I		Pages, Columns, Lines, Where Relevant Passages or Relevant Figures Appear
19 5	A5	08/478.995	N/A	Lauffler, Leander et al		
P-	A6	2003/064480	04-03-2003	Lauffler, Leander et al		
	A7	4,593,002	01-11-1982			
\dashv	A8	4,675,285	09-19-1984	Clark et al.		
\top	A9	4,729,326	03-08-1988			
	A10	4,769,326	09-06-1988			
_	A11	4,894,439	01-16-1990			
	A12	4,912,044	03-27-1990			
	A13	4,935,233	06-19-1990			
	A14	4,963,354	10-06-1990	Shepard et al.		<u> </u>
	A15	4,965,271	10-23-1990			<u> </u>
1-	A16	5,055,447		Palladino et al.		-
	A17	5,073,627	12-17-1991			
	A18	5,075,222		Hannum et al.		
\dashv	A19	5,098,702		Zimmerman et al.		
	A20	5.098.833	03-24-1992		· · · · · · · · · · · · · · · · · · ·	
	A21	5,118,500				
1	A22	5,136,021	06-02-1992			
_			08-04-1992	Dembinski et al.		
-	A23	5,155,027	10-13-1992	Sledziewski et al.		
	A24	5,211,395	06-29-1993			
_	A25	5,211,945		Wallach et al	·-··	
-	A26	5,225,538	07-06-1993		·	
	A27	5,258,498	11-02-1993			
	A28	5,264,416	11-23-1993			
	A29	5,270,038	12-14-1993			
	A30	5,336,603	08-09-1994	Capon et al.		
	A31	5,350,683	09-27-1994	Sims et al.		
	A32	5,359,032	10-25-1994	Dayer et al.		
	A33	5,447,851	09-05-1995			
	A34	5,455,165	10-03-1995	Capon et al.		
	A35	5,478,925	12-26-1995	Wallach et al.		
	A36	5,512,544	04-30-1996	Wallach et al.		
	A37	5,514,582	05-07-1996	Capon et al.		
	A38	5,599,905		Mosley et al.		
	A39	5,605,690		Jacobs et al.		
	A40	5,610,279		Brockhaus et al.		
	A41	5,633,145		Feldmann et al.		
	A42	5,639,597		Lauffer et al.		
	A43	5,695,953		Wallach et al.		
	A44	5,705,364		Etcheverry et al.		
	A45	5,712,155	01-27-1998	Smith et al.	w·	
	A46	5,721,121		Etcheverry et al.		
7	A47	5,808,029		Brockhaus et al.		
1	A48	5,811,261	09-22-1998			
	A49	5,863,786		Feldmann et al.		
	A50	5,945,397	08-31-1999	Smith et al		
xaminer				ar or al.	ID-4-	
ignature				- 1	Date Considered	3/1/07
g. 14.410	<u> </u>				Considered	-1-1-1

JAN 0 3 2005

PTC/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE respond to a collection of information unless it contains a valid OMB control number.

Sub	stitute for form 1449A/B/P	TO		Complete if Known		
				Application Number	08/444,791-Conf. #5613	
11	NFORMATION	N DI	SCLOSURE	Filing Date	May 19, 1995	
S	TATEMENT	BY /	APPLICANT -	First Named Inventor	Brockhaus	
				Art Unit	1644	
	(Use as many sh	ieets as	necessary)	Examiner Name	R. Schwadron, Ph.D.	
Sheet	2	of	8	Attorney Docket Number	01017/40451C	

Lr	735	A51	5,981,701	11-09-19	99	Wallach e	et al.				
		A52	6,143,866	11-07-20	00	Brewer e	t al.				
		A53	6,165,476	12-26-20	00	Strom et	al.				1
		A54	6,201,105	03-13-20	01	Smith et	al.				
	I_{-}	A55	6,221,675	04-24-20	01	Hauptma	nn et al.				
	1	A56	6,271,346			Hauptma					
		A57	6,294,352	09-25-20	01	Hauptma	nn et äl.				
	Ι	A58	6,541,610	04-01-20	03	Smith	:				ĺ
		A59	6,541,620			Brewer et					
	1.	A60	6,572,852	06-03-20	03	Smith et a	al.		•		ı
	Ψ	A61	RE 36,755	06-27-20	00	Smith et a	al.				
				FOREI	GN	PATENT	DOCUMENTS				
			Foreign Patent Doo	ment	T 6	Publication		Τ.	Pages, Columns, Lines,		
	miner	Cite	Country Code ³ -Number ⁴ -Ki		1	Date	Name of Patentee or Applicant of Cited Document	l w	here Relevant Passages	т≎	
Initia	Initials*	No.3	known)	,	M	V-DD-YYYY	Applicant of Cited Document	or	Relevant Figures Appear	١.	ŀ
N	,/	B13	AU 58976		01	-24-1991	Synergen, Inc.	_		Т	1
	I	B14	EP 120694			-03-1984				_	
	T^{-}	B15	EP 227110		07	-01-1987	Satoshi et al.	一 ·			
	I	B16	EP 230574			-05-1987					
		B17	EP 269455		06	01-1988	Ikeyama et al.				
	Γ	B18	EP 314317			-03-1989					
	L^{-}	B19	EP 325262		07	-26-1989	Seed				
1	<u> </u>	B20	EP 414178			-27-1991	Seed				
V_	\triangle	824	EP-417563	<u> </u>	103	20:1991	Brockhaus et al.				t
\sqsubset	131	B22_	EP 460846	_	12	11-1991	Sims et al.				
\checkmark	<u> </u>	B23	EP-471701	~	102	26-1992	Lemerie et al.			Ï	-
	M	B24	EP 526452		02	10-1993					
_	1	B25	EP 526905		02	10-1993	Wallach et al.	$\neg \vdash$			
<u> </u>	1_	B26	EP 568925		11-	10-1993	Wallach et al.	\neg			l
L		B27	EP 606869		07-	20-1994					
<u> </u>		B28	GB 2,218,101A			08-1989		\Box			
\vdash		B29	GB 2 246 569		02	05-1992	Feldman et al.				l
	Y	B30	JP 02-154695				Brockhaus et al.				1
پلا	>	₽31 <u></u>	JP-81-293924			24-1986					L
<u> ^</u>	25	B32	WO 91/02078				Rathjen et al.				
L.	1	B33	WO 91/08298			13-1991	Capon et al.				1
<u></u>	1	B34	WO 91/17184			14-1991	Carter				1
<u> </u>		B35	WO 92/08495		_	29-1992	Gillies				1
<u> </u>	L	B36	WO 92/13095		_	06-1992	Carmichael et al.				l
_		B37	WO 93/07863				Mullarkey				
<u> </u>	<u> </u>	B38	WO 93/19777	*			Smith				
	Ł	B39	WO 94/06476		03-	31-1994	Smith et al.				

*EXAMINER: Initial if reference considered, whether or not citation is In conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optional). See Kinds Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. It is to give a propriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.

	<u> </u>		
Examiner	T - T	Dat	te 2 1 2
Signature V	$\overline{}$	Cor	nsidered / / / / /

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2088. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

Add TIR 840Ction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Substit	ute for form 1449A	/B/PTO		Complete if Known		
		•		Application Number	08/444,791-Conf. #5613	
INF	ORMATI	ON DISC	LOSURE	Filing Date	May 19, 1995	
ST	ATEMEN	T BY AP	PLICANT	First Named Inventor	Brockhaus	
				Art Unit	1644	
	. (Use as man	y sheets as nec	essary)	Examiner Name	R. Schwadron, Ph.D.	
Sheet	3	of	8	Attorney Docket Number	01017/40451C	

	_	NON PATENT LITERATURE DOCUMENTS	
Examiner Initials	Cite No. ¹	Include name of the author (in CAPITAL LETTERS), title of the article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published.	T²
by	C31	ABRAHAM et al., p55 Tumor Necrosis Factor Receptor Fusion Protein in the Treatment of Patients With Severe Sepsis and Septic Shock: ΔΔΔΔΔ JAMA, 19:1531-1538 (1997)	
	C32	ABRAHAM et al., Lenercept (p55 Tumor Necrosis Factor Receptor Fusion Protein) In Severe Sepsis and Early Septic Shock: A Randomized, Double-Blind, Placebo-Controlled, Multicenter Phase III Trial With 1,342 Patients, Crit Care Med, 29:503-510 (2001)	
	C33	AGGARWAL et al., Characterization of Receptors for Human Tumour Necrosis Factor and Their Regulation by γ-Interferon, Nature, 318:665-667 (1985)	
	C34	AGGARWAL et al., Induction of Receptors for Tumor Necrosis Factor-α by Interferons Is Not a Major Mechanism for Their Synergistic Cytotoxic Response, J. Biol. Chem., 262:10000-10007 (1987)	
	C35	AGGARWAL et al., Human tumour necrosis factors: structure and receptor interactions, in Tumor necrosis factor and related cytotoxins, pp 39-51, (Ciba Foundation symposium 131), Wiley, Chichester (1987)	
	C36	ARENZANA-SEISDEDOS et al., Immunoregulatory Mediators in the Pathogenesis of Rheumotoid Arthritis, Scand. J. Rheumatol., Supplement 66:13-17 (1987)	
	C37	ARUFFO et al., Molecular Cloning of a CD28 cDNA by a High-Efficiency COS Cell Expression. System, Proc. Natl. Acad. Sci. USA, 84:8573-8577 (1987).	
	C38	ASHKENAZI et al., Protection Against Endotoxic Shock by a Tumor Necrosis Factor Receptor Immunoadhesin, Proc. Natl. Acad. Sci., U.S.A. 88:10535-10539 (1991)	
	C39	AYALA, Modern Genetics, Benjamin/Cummings, Publ. Co., Menlo Park CA, p. 45, (1980)	
	C40	BAGLIONI et al., Binding of Human Tumor Necrosis Factor to High Affinity Receptors on HeLa and Lymphoblastoid Cells Sensitive to Growth Inhibition, J. Biol. Chem., 260:13395-13397 (1985)	
	C41	BENJAMINI et al., Antibody Structure, in Immunology: A Short Course, 3rd ed., Wiley-Liss New York, 61-69 (1996)	
	C42	BRANELLEC et al., TNF: Antitumoral Agent at the Border Lines of Immunity and Inflammation, Path. Biol., 39:230-239 (1991)	
	C43	BROCKHAUS et al., Identification of Two Types of Tumor Necrosis Factor Receptors on Human Cell Lines by Monoclonal Antibodies, Proc. Natl. Acad. Sci. USA, 87:3127-3131 (1990)	
	C44	CARTER et al., Purification, Cloning, Expression and Biological Characterization of an Interleukin-1 Receptor Antagonist Protein, Nature, 344:633-638 (1990)	
	C45	CARPENTER et al., Epidermal Growth Factor, J. Biol. Chem., 265:7709-7712 (1990)	
	C46	CARPENTER, Receptors For Epidermal Growth Factor And Other Polypeptide Mitogens, Ann. Rev, Biochem., 56:881-914 (1987)	
	C47	CASADEI et al., Expression and Secretion of Aequorin as a Chimeric Antibody by Means of a Mammalian Expression Vector, Proc. Natl. Acad. Sci., U.S.A. 87:2047-2051 (1990)	
		COFFMAN et al., The Role of Helper T Cell Products in Mouse B Cell Differentiation and Isotype Regulation, Immunol. Rev., 102:5-28 (1988)	
V	C49	CREASEY et al., A High Molecular Weight Component of the Human Tumor Necrosis Factor Receptor is Associated With Cytotoxicity, Proc. Natl. Acad. Sci. USA, 84:3293-3297 (1987)	

Examiner Signature	Date Considered	3(10)
	Considered	7111

JAN 0 3 2005

PTO/SB/08a/b (08-03)

Approved for use through 07/31/2008. OMB 0651-0031

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

TAKE THE PROPERTY OF COMMERCE AND COMMERCE OF THE PROPERTY OF COMMERCE OF THE PROPERTY OF COMMERCE OF THE PROPERTY OF

Sub	stitute for form 1449A/B/	РТО		Complete if Known		
				Application Number	08/444,791-Conf. #5613	
11	IFORMATIC	N DIS	SCLOSURE	Filing Date	May 19, 1995	
S	TATEMENT	BY A	PPLICANT	First Named Inventor	Brockhaus	
_				Art Unit	1644	
	(Use as many	sheets as	necessary)	Examiner Name	R. Schwadron, Ph.D.	
Sheet	4	of	8	Attorney Docket Number	01017/40451C	

C50 DAYER, Chronic Inflammatory Joint Diseases: Natural Inhibitors of Interleukin 1 and Tumor Necrosis Factor a, J. Rheumatol, 18 (Suppl. 27): 17-15 (1991) C51 DOWER et al., Human Cytokine Receptors, J. Clin. Immunol., 10:289-299 (1990) C52 EISENBERG et al., Primary Structure and Functional Expression From Complementary DNA of a Human Interleukin-1 Receptor Antagonist, Nature, 343:341-346 (1990) C53 ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic Acids Res. 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:474-3746 (1989) C55 European Search Report for EP 97 12 0684, dated 39/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A. Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:402-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor in the Serum of Patients With Sarcoldosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C62 FOLEY et al., Preliminary Study on Treatment of Septic Shock Patients With Annibiporacharide (g6 from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Annibiporacharide (g6 from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Tumour Necrosis Factor Rec					_
C52 EISENBERG et al., Primary Structure and Functional Expression From Complementary DNA of a Human Interleukin-1 Receptor Anagonist, Nature, 343:341-346 (1990) C53 ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic Acids Res, 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0684, dated 3/9/38 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric Felar) With Specificity For Carcinomas And Human IL-2, J. Immunol., 148:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87-4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Necrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGARAD et al., Prefilminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1998) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR It Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GARCIO Et al., Aget Seption of a Chimeric T-Cell R	17	S	C50	DAYER, Chronic Inflammatory Joint Diseases: Natural Inhibitors of Interleukin 1 and Tumor	
C52 EISENBERG et al., Primary Structure and Functional Expression From Complementary DNA of a Human Interleukin-1 Receptor Antagonist, Nature, 343:341-346 (1990) C53 ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic Acids Res. 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab) With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C50 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor in the Serum of Patients With Sacrodiosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide [Gs from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 149:911-917 (1992). C65 GASCOIGNE et al., Secretion of a Chimeric T-Ceil Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Media	V '		054		
of a Human Interleukin-1 Receptor Antagonist, Nature, 343:341-346 (1990) C53 ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic Acids Res. 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:473-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/88 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab) With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-q-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:597-708 (1989) C64 GARCiA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNR and IFN-yi in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GASCOIGNE, et al., Terretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C67 GGLUES et al., T		\vdash			
C53 ELLISON et al., The Nucleotide Sequence of A Human Immunoglobulin Cy1 Gene, Nucleic Acids Res. 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab) With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Turnour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor CDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1998) C62 FOLEY et al., An Inhibitor of the Toxicity of Turnour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide (Eg from Blood Donors, Scand. J. Infect. Dis., 21:597-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y-in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 8:42936-2940 (1987) C66 GEHR et al., Both Turnor Necrosis Factor Receptor Types Mediate Proliferative	l f		C52		
Acids Res. 10(13): 4071-79 (1982) C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:897-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C66 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C67 GASCOIGNE et al., Secretion of a	\vdash		050		
C54 ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation, J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2557-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohr's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TribRFI Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLES et al., Targeting Human Cytotoxic			C53		
J. Biol. Chem., 264:4743-4746 (1989) C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1998) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipophysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:597-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992) C67 GODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Spe		┰		Acids Res. 10(13): 4071-79 (1982)	
C55 European Search Report for EP 97 12 0664, dated 3/9/98 C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohr's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:597-708(1) Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:597-708(1) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GODDMAN, Identification of Antigenic Specificity, in Basic & Clinical Immunol., 24-25 (1982)		1	C54	ESMON, The Roles of Protein C and Thrombomodulin in the Regulation of Blood Coagulation,	
C56 FELL et al., Genetic Construction And Characterization Of A Fusion Protein Consisting Of A Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 33:41697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T. Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol		\sqcup			
Chimeric F(ab') With Specificity For Carcinomas And Human IL-2, J. Immunol., 146:2446-2452 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202:4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C66 GHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C79 GOODMAN, Identification of Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C79 GOODMAN, Identification of Antigenic Specificity, in Basic	_	\sqcup	_		
 (1991) C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-α)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor. Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGARDe et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide lgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-γ in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C85 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2938-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992) C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 140:067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Spe	l . <i>I</i>	' I	C56		
C57 FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202'4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-α)-Induced Neutrophil Respiratory Burst by a TNF Inhibitior, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble ThRF1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-γ in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C66 GHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C70 GOODMIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology. 11:3020-3026 (1991					
in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990) C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGARRO et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Specificity, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors For Tumor Necrosis Factor, Molecular and Cellular Biology, 11:302		\dashv			
C58 FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilippoplysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODMIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning of human tumor necrosis factor (TNF) r			C57	FERNANDEZ-BOTRAN et al., A Soluble, High-Affinity, Interleukin-4-Binding Protein is Present	
FASEB Journal, 5:2567-2574 (1991) C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-a)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Teatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fisher et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C61 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C71 GRAY et al., Cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C72 GRAY et al., Cloning of numan tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)				in the Biological Fluids of Mice, Proc. Natl. Acad. Sci., 87:4202-4206 (1990)	
C59 FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-q)-Induced Neutrophil Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T. Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Specificity, In Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, In Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GR	1	- 1	C58	FERNANDEZ-BOTRAN, Soluble Cytokine Receptors: Their Role in Immunoregulation, The	
Respiratory Burst by a TNF Inhibitor, Immunology, 72:440-442 (1991) C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOGINE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANIN et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,				FASEB Journal, 5:2567-2574 (1991)	
C60 FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcodiosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANO et al., Inhibition of			C59	FERRANTE et al., Inhibition of Tumour Necrosis Factor Alpha (TNF-α)-Induced Neutrophil	
Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Helerologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 24-25 (1982) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor Xilla, Proc. Natl. Acad. Sci. USA, 8			<u> </u>		
Research, 48:89-99 (1987) C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Helerologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 24-25 (1982) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor Xilla, Proc. Natl. Acad. Sci. USA, 8	T		C60	FISHER et al., Cloning And Expression Of Human Tissue Factor cDNA, Thrombosis	
C61 FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor: Fc Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci. USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,				Research, 48:89-99 (1987)	
Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996) C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al, Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)			C61	FISHER et al., Treatment of Septic Shock with the Tumor Necrosis Factor Receptor, Fc	
 C62 FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor Xilla, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)		- 1		Fusion Protein, New Eng. J. Med., 334:1697-1702 (1996)	
With Sarcoidosis, Tuberculosis and Crohn's Disease, Clin. Exp. Immunol, 80:395-399 (1990) C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)			C62	FOLEY et al., An Inhibitor of the Toxicity of Tumour Nectrosis Factor in the Serum of Patients	
C63 FOMSGAARD et al., Preliminary Study on Treatment of Septic Shock Patients With Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology. 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)		ı		With Sarcoidosis, Tuberculosis and Crohn's Disease Clin, Exp. Immunol, 80:395-399 (1990)	
 Antilipopolysaccharide IgG from Blood Donors, Scand. J. Infect. Dis., 21:697-708 (1989) C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-γ in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol., 			C63	FOMSGAARD et al., Preliminary Study on Treatment of Sentic Shock Patients With	
C64 GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNFR1 Fusion Protein to Mycobacterial Infections: Synergistic Action of TNF and IFN-γ in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. Acad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)	1	ŀ		Antilipopolysaccharide loG from Blood Donors, Scand, J. Infect. Dis., 21:697-708 (1989)	
to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor Xilla, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)			C64	GARCIA et al., High Sensitivity of Transgenic Mice Expressing Soluble TNER1 Fusion Protein	
Protective Granulomas, Eur. J. Immunol., 27:3182-3190 (1997) C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)		- 1		to Mycobacterial Infections: Synergistic Action of TNF and IFN-y in the Differentiation of	
C65 GASCOIGNE et al., Secretion of a Chimeric T-Cell Receptor-Immunoglobulin Protein, Proc. Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)		ŀ		Protective Granulomas, Eur. J. Immunol. 27:3182-3190 (1997)	
Natl. Acad. Sci USA, 84:2936-2940 (1987) C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,			C65		
C66 GEHR et al., Both Tumor Necrosis Factor Receptor Types Mediate Proliferative Signals In Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,	1			Natl. Acad. Sci USA. 84:2936-2940 (1987)	
Human Mononuclear Cell Activation, J. Immunol., 149:911-917 (1992). C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)		•	C66	GEHR et al., Both Tumor Necrosis Factor Recentor Types Mediate Proliferative Signals In	
C67 GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidermal Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)	1			Human Mononuclear Cell Activation, J. Immunol 149-911-917 (1992)	
Growth Factor Receptor-Bearing Tumor Cells, J. Immunol., 144:1067-1071 (1991) C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,	1	\neg †	C67	GILLIES et al., Targeting Human Cytotoxic T Lymphocytes To Kill Heterologous Epidemal	
C68 GOODMAN, Identification of Antigenic Determinants, in Basic & Clinical Immunol., 24-25 (1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986)	\			Growth Factor Receptor-Bearing Tumor Cells .1 Immunol 144-1067-1071 (1991)	
(1982) C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		\dashv	C68	GOODMAN, Identification of Antigenic Determinants in Basic & Clinical Immunol, 24-25	
C69 GOODMAN, Immunogenicity & Antigenic Specificity, in Basic & Clinical Immunol., 101-108 (1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,	. 1			(1982)	
(1991) C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Murine Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al., Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		\neg	C69		
C70 GOODWIN et al., Molecular cloning and Expression of the Type 1 and Type 2 Munne Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al, Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,	1			(1991)	
Receptors for Tumor Necrosis Factor, Molecular and Cellular Biology, 11:3020-3026 (1991) C71 GRAY et al, Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		\sqcap	C70		
C71 GRAY et al, Cloning and Expression of cDNA for Human Lymphotoxin, a Lymphokine With Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		1	5.0	Receptors for Tumor Necrosis Factor, Molecular and Callular Biology, 11:3020,3036 (1001)	
Tumour Necrosis Activity, Nature, 312:721-724 (1984) C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		†+	C71	GRAY et al. Cloning and Expression of cDNA for Human Lumphotovin, a Lumphotics With	
C72 GRAY et al., Cloning of human tumor necrosis factor (TNF) receptor cDNA and expression of recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		11	J, .	Tumour Necrosis Activity Nature 312-721-724 (1094)	
recombinant soluble TNF-binding protein, Proc. Natl. ACad. Sci. 87: 7380-84 (1990) C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		††	C72	GRAY et al. Cloning of human tumor pecrosis feater (TNE) recenter aDNA and averaging of	-
C73 GRUNDMANN et al., Characterization of cDNA Coding for Human Factor XIIIa, Proc. Natl. Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,			J. 2	recombinant soluble TNE-binding protein. Proc. Not. A Cod. Sci. 97: 7290. 94 (4000)	
Acad. Sci. USA, 83:8024-8028 (1986) C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		+	C73	GRINDMANN et al. Characterization of cDNA Coding for Human Footer VIII - Day Atal	
C74 HAAK-FRENDSCHO et al., Inhibition of TNF by a TNF Receptor Immunoadhesin, J. Immunol.,		Π	0,3	Acad Sci USA 83:8034.8039 (1096)	
152:1347-1353 (1994)		J / 	C74	HAAK EPENDS CHO et al. Inhibition of TNE hun TNE December Immune all hairs in	
1 102,1041-1000 (1884)	`	V	~',"	152:1347-1353 (1994)	
				102.1041-1000 (1334)	

Examiner		Date	T		
	\sigma =	12***	1 7	111	1.
Signature		· Considered	1 . '	11	(



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Complete if Known Substitute for form 1449A/B/PTO 08/444,791-Conf. #5613 Application Number **INFORMATION DISCLOSURE** Filing Date May 19, 1995 STATEMENT BY APPLICANT **Brockhaus** First Named Inventor 1644 Art Unit (Use as many sheets as necessary) R. Schwadron, Ph.D. Examiner Name 5 Sheet of 8 01017/40451C Attorney Docket Number

(((()	C75	HANNUM et al., Interleukin-1 Receptor Antagonist Activity of a Human Interleukin-1 Inhibitor,	_
17/		Nature, 343:336-340 (1990)	
	C76	HEFLIN et al., Prevention by Granulocyte Depletion of Increased Vascular Permeability of Sheep Lung Following Endotoxemia, J. Clin. Invest., 68:1253-1260 (1981).	
i.	C77	HELLER et al., Amplified Expression of Tumor Necrosis Factor Receptor in Cells Transfected With Epstein-Barr Virus Shuttle Vector cDNA Libraries, J. Biol. Chem., 265:5708-5717 (1990)	-
	C78		
	Cro	HELLER et al., Amplified Expression of the Tumor Necrosis Factor Receptor in Lymphoblastoid Cells Transfected with HeLa Cell-CDNA Expression Abstract WA 142, Napa Valley Conference 1989	
	C79	HIMMLER et al., Molecular Cloning and Expression of Human and Rat Tumor Necrosis Factor Receptor Chain (p60) and Its Soluble Derivative, Tumor Necrosis Factor-Binding Protein, DNA and Cell Biology, 9:705-715 (1990)	
	C80	HOBART, The Immune System: A Course on the Molecular and Cellular Basis of immunity, Blackwell Scientific Pubs, Page 7 (1975)	
	C81	HOLTMANN et al., Down Regulation of the Receptors For Tumor Necrosis Factor By Intereukin 1 and 4β-Phorbol-12-Myristate-13-Acetate, J. Immunol., 139:1161-1167 (1987).	_
	C82	HSU et al., Differential Expression and Ligand Binding Properties of Tumor Necrosis Factor Receptor Chimeric Mutants, J. Biol. Chem., 268:16430-16436 (1992)	
	C83	IDZERDA et al., Human Interleukin 4 Receptor Confers Biological Responsiveness And Defines A Novel Receptor Superfamily, J. Exp. Med., 171:861-873 (1990)	
	C84	IMAMURA et al., Expression Of Tumor Necrosis Factor Receptors On Human Monocytes And Internalization Of Receptor Bound Ligand, J. Immunol., 139:2989-2992 (1987)	_
	C85	ISHIKURA et al., Differential Biologic Effects Resulting From Bimodal Binding of Recombinant Human Tumor Necrosis Factor to Myeloid Leukemia Cells, Blood, 73:419-424 (1989)	
	C86	ISRAEL et al., Binding Of Human TNF-α To High-Affinity Cell Surface Receptors: Effect Of	
	C87	JACOBS et al., Pharmacokinetic Parameters and Biodistribution of Soluble Cytokine	
- - 		Receptors, International Review of Expermental Pathology, 34B:123-135 (1993)	
	<u>C88</u>	JONES et al, Structure of Tumour Necrosis Factor, Nature, 338:225-228 (1989)	
		KACZMARSKI et al., The Cytokine Receptor Superfamily, Blood Reviews, 5:193-203 (1991)	
	C90	KAUSHANSKY, Structure-Function Relationships of the Hematopoietic Growth Factors, Proteins: Structure, Function & Genetics, 12:1-9 (1992)	
		KEEGAN et al., The Interleukin-4 Receptor: Signal Transduction by a Hematopoietin Receptor, Journal of Leukocyte Biology, 55:272-279 (1994)	
	C92	KEEGAN et al., Interleukin 4 Receptor: Signaling Mechanisms, Immunology Today, 15:423-432 (1994)	
	C93	KLEINAU et al., Importance of CD23 for Collagen-Induced Arthritis: Delayed Onset and Reduced Severity in CD23-Deficient Mice, J. Immunol., 162:4266-4270 (1999)	
	C94	KLINKERT et al., TNF-α Receptor Fusion Protein Prevents Experimental Auto-Immune Encephalomyelitis and Demyelination in Lewis Rats: an Overview, The Journal of Neuroimmunology, 72:163-168 (1997)	
		KOHNO et al., A Second Tumor Necrosis Factor Receptor Gene Product Can Shed a Naturally Occurring Tumor Necrosis Factor Inhibitor, Proc. Natl. Acad. Sci. USA, 87:8331- 8335 (1990)	-
		KRUSE et al., Conversion of Human Interleukin-4 Into a High Affinity Antagonist by a Single Amino Acid Replacement, The EMBO Journal. 11:3237-3244 (1992)	
	C97	KULL et al., Cellular Receptor for ¹²³ I-Labeled Tumor Necrosis Factor: Specific Binding, Affinity Labeling, and Relationship to Sensitivity, Proc. Natl. Acad. Sci. USA, 82:5756-5760 (1985)	
V	C98	LANDOLFI, A Chimeric IL-2/lg Molecule Possesses The Functional Activity Of Both Proteins, J. Immunol., 146:915-919 (1991)	



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2006. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sub	stitute for form 1449A/B/P	то		Complete if Known			
				Application Number	08/444,791-Conf. #5613		
11	IFORMATIO	N DIS	SCLOSURE	Filing Date	May 19, 1995		
S	TATEMENT	BY A	PPLICANT	T First Named Inventor Brockhaus			
				Art Unit	1644		
	(Use as many si	heets as	necessary)	Examiner Name	R. Schwadron, Ph.D.		
Sheet	6	of	8	Attorney Docket Number	01017/40451C		

(4)	C99	LANGNER et al., Structural and Functional Analysis of a TNF Receptor-Immunoglobulin	
<u> </u>		Fusion Protein, New Advances on Cytokines, 349-354 (1992)	
- 1	C100	LEBERTHON et al., Enhanced Tumor Uptake of Macromolecules Induced by a Novel	
		Vasoactive Interleukin 2 Immunoconjugate, Cancer Research, 51:2694-2698 (1991)	
	C101	LESSLAUER et al., Recombinant Soluble Tumor Necrosis Factor Receptor Proteins Protect	
1		Mice From Lipopolysaccharide-Induced Lethality, Eur. J. Immunol., 21:2883-2886 (1991)	
-1	C102	LIABAKK et al., A Rapid and Sensitive Immunoassay for Tumor Necrosis Factor Using	
- 1	0102		
		Magnetic Monodisperse Polymer Particles, Journal of Immunological Methods, 134:253-259	
		(1990)	
- 1	C103	LOETSCHER et al., Efficacy of a Chimeric TNFR-IgG Fusion Protein to Inhibit TNF Activity in	
4		Animal Models of Septic Shock, Endotoxin Research Series, 2:455-462 (1993)	
	C104	LOETSCHER et al., Two distinct human TNF receptors: purification, molecular cloning and	
		expression, in Tumor Necrosis Factor: Structure-Function Relationship and Clinical	
		Application, (3 rd International Conference	
	0405		
- 1: 1	C105	MALISZEWSKI et al., Cytokine Receptors And B Cell Functions: Recombinant Soluble	
.		Receptors Specifically Inhibit IL-1 and IL-4 Induced Cell Activities In Vitro, J. Immunol.,	
. [:]		144:3028-3033 (1990)	
	C106	MOHLER et al., Soluble Tumor Necrosis Factor (TNF) Receptors Are Effective Therapeutic	
		Agents in Lethal Endotoxemia and Function Simultaneously as Both TNF Carriers and TNF	
1		Antagonists, J. Immunol., 151:1548-1561 (1993)	
\dashv	0407		
1 1	C107	MORI et al., Attenuation of Collagen-Induced Arthritis in 55-kDa TNF Receptor Type 1	
		(TNFR1)-lgG1-Treated and TNFR1-Deficient Mice, J. Immunol., 157:3178-3182 (1996)	
1 1	C108	MORRISSEY et al., Molecular Cloning of the cDNA for Tissue Factor, the Cellular Receptor for	
		the Initiation of the Coagulation Protease Cascade, Cell: 50:129-135 (1987)	
1.	C109	MORRISON, In Vitro Antibodies: Strategies for Production and Application, Annu. Rev.	-
	0100	Immunol., 10:239-265 (1992)	
	0440	Initiation, 10.235-205 (1992)	
1 1	C110	MOSLEY et al., The Murine Interleukin-4 Receptor: Molecular Cloning and Characterization of	
		Secreted and Membrane Bound Forms, Cell: 59:335-348 (1989)	
1 1	C111	NOPHAR et al., Soluble Forms of Tumor Necrosis Factor Receptors (TNF-Rs). The cDNA for	
		the Type I TNF-R, Cloned Using Amino Acid Sequence Data of its Soluble Form, Encodes	
-31		Both the Cell Surface and a Soluble Form of the Receptor, The EMBO Journal, 9:3269-3278	
11		(1990)	
 	C112		_
	C112	NOVOTNY et al., A Soluble, Single-Chain T-Cell Receptor Fragment Endowed With Antigen-	
		Combining Properties, Proc. Natl. Acad. Sci. USA, 88:8646-8650 (1991)	
	C113	OKAYAMA et al., High-Efficiency Cloning of Full-Length cDNA, Molecular and Cellular	
		Biology, 2:161-170 (1982)	
	C114	OKAYAMA et al., A cDNA Cloning Vector That Permits Expression of cDNA Inserts in	
1.1		Mammalian Cells, Molecular and Cellular Biology, 3:280-289 (1983)	
1-1	C115	OLD Times Negroin Federal 2014 Page 1997	_
1 1	C115	OLD, Tumor Necrosis Factor, 2nd Intl Conference on Tumor Necrosis Factor & Related	
-		Cytokines, Napa, CA, 1-30 (1989)	
	C116	PABORSKY et al., Purification of Recombinant Human Tissue Factor, Biochemistry, 28:8072-	•
-		8077 (1989)	
1.	C117	PARRILLO, Pathogenetic Mechanisms of Septic Shock, New Eng. J. Med., 328:1471-1477	÷
- [1		(1993)	
+	C140		
	C118	PEETRE et al., A Tumor Necrosis Factor Binding Protein is Present in Human Biological	
		Fluids, Eur. J. Haematol. 41:414-419 (1988)	
I	C119	PENNICA et al., Human Tumour Necrosis Factor: Precursor Structure, Expression and	
- 1 - 1		Homology to Lymphotoxin, Nature, 312:724-729 (1984).	
4	C120	PEPPEL et al., Chimaeric TNF-Receptor - IgG Molecule Acts As Soluble Inhibitor Of TNF	
	J 120	Modified Orderwish LON Planta Con 100 Modern Acts As Soluble Inhibitor Of The	
		Mediated Cytotoxicity, J. Cell. Biochem., Supp. 15F:439 (1991)	

-			:
1Examiner	• 1	Date	_ 1 7
1		Date	31,153 1
Signature		Considered	
		TOONDIGG! OG	



PTO/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0851-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
or the Polecyfold Reduction Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sub	stitute for form 1449A/B/P1	ro.		Complete if Known			
				Application Number	08/444,791-Conf. #5613		
İN	IFORMATION	N DI	SCLOSURE	Filing Date	May 19, 1995		
S	TATEMENT	BY /	APPLICANT -	First Named Inventor	Brockhaus		
				Art Unit	1644		
	(Use às many sh	eets as	s necessary)	Examiner Name	R. Schwadron, Ph.D.		
Sheet	7	7 of 8 Attorney Docket Number 01017/40451C		01017/40451C			

mas	C121	PIGUET et al., Evolution of Collagen Arthritis in Mice is Arrested by Treatment With Anti- Tumor Necrosis (TNF) Antibody or a Recombinant Soluble TNF Receptor, Immunology, 77 (4):510-514 (1992)	
1	C122	REDFIELD et al., Secondary Structure and Topology of Human Interleukin 4 in Solution, Biochemistry, 30:11029-11035 (1991)	
	C123	RUBIN, Binding Receptor Characters Zako and Expression, and Intracellular Events. 2nd Intl Conference on Tumor Necrosis Factor & Related Cytokines, Napa, CA, 94-96 (1989)	
	C124	RUDDLE et al., An Antibody to Lymphotoxin and Tumor Necrosis Factor Prevents Transfer of Experimental Allergic Encephalomyelitis, J. Exp. Med., 172:1193-1200 (1990)	
	C125	RUTKA et al., The Effects of Human Recombinant Tumor Necrosis Factor on Glioma-Derived Cell Lines: Cellular Proliferation, Cytotoxicity, Morphological and Radioreceptor Studies, Int. J. Cancer., 41:573-582 (1988)	
	C126	SAXNE et al., Detection of Tumor Necrosis Factor α But Not Tumor Necrosis Factor β in Rheumatoid Arthritis Synovial Fluid and Serum, Arthritis & Rheumatism, 31:1041-1045 (1988)	
	C127	SCALLON et al., Functional Companisons Of Different Tumour Necrosis Factor Receptor/lgG Fusion Proteins, Cytokine, 7:759-770 (1995)	
	C128	SCARPATI et al., Human Tissue Factor: cDNA Sequence and Chromosome Localization of the Gene, Biochemistry, 26:5234-5238 (1987)	
	C129	SCHLEIFFENBAUM et al., The Tumor Necrosis Factor Receptor and Human Neutrophil Function, J. Clin. Invest., 86:184-195 (1990)	
	C130	SCHNEE et al., Construction and Expression of a Recombinant Antibody-Targeted Plasminogen Activator, Proc. Natl. Acad. Sci. USA, 84:6904-6908 (1987)	
	C131	SECKINGER et al., A Human Inhibitor Of Tumor Necrosis Factor α, J. Exp. Med. 167:1511-1516 (1988)	
	C132	SHALABY et al., Receptor Binding and Activation of Polmorphonuclear Neutrophils by Tumor Necrosis Factor-Alpha, Journal of Leukocyte Biology, 41:196-204 (1987)	
	C133	SHALABY et al., Binding and Regulation of Cellular Function by Monoclonal antibodies Against Human Tumor Necrosis Factor Receptors, J. Exp. Med. 172: 1517-1520 (1990)	
	C134	SHEEHAN et al., Generation and Characterization of Hamster Monoclonal Antibodies That Neutralize Murine Tumor Necrosis Factors, Journal of Immunology, 142:3884-3893 (1989)	
	C135	SHIN et al., Expression and Characterization of an Antibody Binding Specificity Joined to Insulin-Like Growth Factor 1: Potential Applications for Cellular Targeting, Proc. Natl. Acad. Sci., 87:5322-5326 (1990)	
	C136	SIMS et al., cDNA Expression Cloning of the IL-1 Receptor, a Member of the Immunoglobulin Superfamily, Science, 241:585-589 (1988).	-
	C137	SIMS et al., Cloning the Interleukin 1 Receptor From Human T Cells, Proc. Natl. Acad. Sci., 86:8946-8950 (1989)	_
	C138	SMITH et al., The Active Form of Tumor Necrosis Factor Is a Trimer, J. Biol. Chem., 262:6951-6954 (1987)	_
	C139	SMITH et al., Blocking of HIV-1 Infectivity by a Soluble, Secreted Form of the CD4 Antigen, Science, 238:1704-1707 (1987)	
	C140	SMITH et al., Multimeric Structure of the Tumor Necrosis Factor Receptor of HeLa Cells, J. Biol. Chem., 264:14646-14652 (1989)	_
	C141	SPICER et al., Isolation of cDNA Clones Coding for Human Tissue Factor: Primary Structure of the Protein and cDNA, Proc. Natl. Acad. Sci., 84:5148-5152 (1987)	
		STAINES et al., Collagen Arthritis-What Can It Teach Us?, British Journal of Rheumatology, 33:798-807 (1994)	_
F	C143	STRADER et al., Structural Basis of β-Adrenergic Receptor Function, The FASEB Journal, 3:1825-1832 (1989)	

Examiner	. ^	Date	1 0 1 1 - 1
			「 添ししつ) 「
Signature	· ·	Considered	

JAN 0 3 7005 ;

PTO/SB/08a/b (08-03)
Approved for use through 07/31/2008. OMB 0651-0031
U.S. Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE
Act of 1995, no persons are required to respond to a collection of information unless it contains a valid OMB control number.

Sut	estitute for form 1449A/E		,	Complete if Known			
				Application Number	08/444,791-Conf. #5613		
11	NFORMATIO	ON DIS	SCLOSURE	Filing Date	May 19, 1995		
S	TATEMEN	ΓBY A	PPLICANT	First Named Inventor	Brockhaus		
				Art Unit	1644		
	(Use as many	sheets as	necessary)	Examiner Name	R. Schwadron, Ph.D.		
Sheet	8	of	8	Attorney Docket Number	01017/40451C		

135	C144	SUGGS et al., Use of Synthetic Oligonucleotides as Hybridization Probes: Isolation of Cloned cDNA Sequences for Human β₂,-Microglobulin, Proc. Natl. Acad. Sci. U.S.A., 78:6613-6617 (1981)	
	C145	TAUBER et al., Toxicity in Neuronal Cells Caused by Cererospinal Fluid fFom Pneumococcal and Gram-Negative Meningitis, The Journal of Infectious Diseases, 166:1045-1050 (1992)	
	C146	THOMA et al., Identification of a 60-kD Tumor Necosis Factor (TNF) Receptor as the Major Signal Transducing Component in TNF Responses, J. Exp. Med. 172: 1019-23 (1990)	
	C147	TSUJIMOTO et al., Characterization and Affinity Crosslinking of Receptors for Tumor Necrosis Factor on Human Cells, Archives of Biochemistry and Biophysics, 249:563-568 (1986)	
	C148	TSUJIMOTO et al, Interferon-γ Enhances Expression of Cellular Receptors for Tumor Necrosis Factor, J. Immunol., 136:2441-2444 (1986)	
	C149	TSUJIMOTO et al, Tumor necrosis factor: specific binding and internalization in sensitive and resistant cells, Proc. Natl. Acad. Sci. 82: 7626-30 (1985)	
	C150	ULICH et al., Intratracheal Administration of Endotoxin and Cytokines, Clinical Immunology & Immunopathology, 72:137-140 (1994)	
	C151	UNGLAUB et al., Downregulation of Tumor Necrosis Factor (TNF) Sensitivity Via Modulation of TNF Binding Capacity by Protein Kinase C Activators, J. Exp. Med. 166:1788-1797 (1987)	
	C152	VAN DER POLL et al., Pretreatment with a 55-kDa Tumor Necrosis Factor Receptor- Immunoglobulin Fusion Protein Attenuates Activation of Coagulation, but not of Fibrinolysis, during Lethal Bacteremia in Baboons, The Journal of Infectious Diseases., 176:296-299 (1997)	
,	C153	VAN ZEE et al., Protection Against Lethal Escherichia coli Bacteremia in Baboons (Papio anubis) by Pretreatment With a 55-kDa TNF Receptor (CD120a)-lg Fusion Protein, Ro 45-2081, J. Immunol., 156:2221-2230 (1996)	
	C154	WALLACH et al., Soluble and Cell Surface Receptors for Tumor Necrosis Factor, Progress, Inflammation Research & Therapy, 51-57 (1991)	-
	C155	WALLACH et al., Cell surface and soluble TNF receptors, in Tumor Necrosis Factor: Structure-Function Relationship and Clinical Application, (3 rd International Conference on Tumor Necrosis Factor and Related Cytokines, Makuhari, Chiba, Nov. 21-25, 1990), Osawa and Bonavida, eds., Basel, Karger, pp 47-57 (1992)	
	C156	WILKS, The CD4 Receptor: Post Binding Events, Conformational Change and the Second Site, Molec. Aspects Med., 12:255-265 (1991)	
	C157	YAMASAKI et al., Cloning and Expression of the Human Interleukin-6 (BSF-2/IFNβ 2) Receptor, Science, 241:825-282 (1988).	
	C158	YONEHARA et al., A Cell-Killing Monoclonal Antibody (Anti-Fas) to a Cell Surface Antigen Co- Downregulated With the Receptor of Tumor Necrosis Factor, J. Exp. Med., 169:1747-1765 (1989)	
	C159	YOSHIE et al., Binding and Crosslinking of ¹²⁵ I-Labeled Recombinant Human Tumor Necrosis Factor to Cell Surface Receptors, J. Biochem., 100: 531-541(1986)	
	C160	BROWER et al. Roche's RA Drug Crippled, Nature Biotechnology, 15:1325 (1997)	

^{*}EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

Examiner Signature	Date Considered	3(1	(0)

^{&#}x27;Applicant's unique citation designation number (optional). ²Applicant is to place a check mark here if English language Translation is attached.